L Number	Hits	Search Text	DB	Time stamp
30	61463	(down$load$3 or receiv$4 or transfer$3 or send$4 or transmi$6)near6 ((new adj (program or software or code))or up$grad$4 or re$program$4 or re$configur$6 or modif$6)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:26
32	0	(((down$load$3 or receiv$4 or transfer$3 or send$4 or transmi$6)near6 ((new adj (program or software or code))or up$grad$4 or re$program$4 or re$configur$6 or modif$6)) with ((pager or wire$less) adj2 network)) with ((serial or com or communicat$4)adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:27
33	2	(((down$load$3 or receiv$4 or transfer$3 or send$4 or transmi$6)near6 ((new adj (program or software or code))or up$grad$4 or re$program$4 or re$configur$6 or modif$6)) with ((pager or wire$less) adj2 network)) and ((serial or com or communicat$4)adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 13:05
31	41	((down$load$3 or receiv$4 or transfer$3 or send$4 or transmi$6)near6 ((new adj (program or software or code))or up$grad$4 or re$program$4 or re$configur$6 or modif$6)) with ((pager or wire$less) adj2 network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 13:31
34	5	(re$program$6 or re$configur$6 or upgrad$4 or modif$7) with (pager adj1 network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:26
35	10792	(down$load$3 or receiv$4 or transfer$3 or send$4 or transmi$6)near6 ((new adj (program or software or code))or up$grad$4 or re$program$4 or re$configur$6 or modif$6)	EPO; JPO; DERWENT	2004/04/07 13:50
36	17	((down$load$3 or receiv$4 or transfer$3 or send$4 or transmi$6)near6 ((new adj (program or software or code))or up$grad$4 or re$program$4 or re$configur$6 or modif$6)) with ((pager or wire$less) adj2 network)	EPO; JPO; DERWENT	2004/04/07 13:38
37	1	6131040.pn.	USPAT	2004/04/07 13:43
40	1	5787288.pn.	USPAT	2004/04/07 13:42
38	1	6058104.pn.	USPAT	2004/04/07 13:43
39	1	5937198.pn.	USPAT	2004/04/07 13:46
41	95	((wire$less or rF or (radio adj2 frequency) or pager)near4 (device or apparatus))with ((serial or comp)adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 13:49
43	0	(((wire$less or rF or (radio adj2 frequency) or pager)near4 (device or apparatus))with ((serial or comp)adj2 port)) and ((down$load$3 or receiv$4 or transfer$3 or send$4 or transmi$6)near6 ((new adj (program or software or code))or up$grad$4 or re$program$4 or re$configur$6 or modif$6))	EPO; JPO; DERWENT	2004/04/07 13:50
42	71	(((wire$less or rF or (radio adj2 frequency) or pager)near4 (device or apparatus))with ((serial or comp)adj2 port)) and (re$program$6 or re$configur$7 or upgrad$6 or modif$7)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 13:51
44	21	(((wire$less or rF or (radio adj2 frequency) or pager)near4 (device or apparatus))with ((serial or comp)adj2 port)) and ((down$load$3 or receiv$4 or transfer$3 or send$4 or transmi$6)near6 ((new adj (program or software or code))or up$grad$4 or re$program$4 or re$configur$6 or modif$6))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:17

45	0	(((wire$less or rF or (radio adj2 frequency) or pager)near4 (device or apparatus))with ((serial or comp)adj2 port)) and (communication adj afdapter)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:17
46	1	(((wire$less or rF or (radio adj2 frequency) or pager)near4 (device or apparatus))with ((serial or comp)adj2 port)) and (communication adj adapter)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:20
47	3	(communication adj adapter)with ((pager or wireless)adj network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:22
48	2113	communication adj adapter	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:22
50	166	(communication adj adapter) and ((RF or (radio adj frequency) or pager or wireless)adj network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:23
51	0	((communication adj adapter) and ((RF or (radio adj frequency) or pager or wireless)adj network)) and ((re$program$6 or re$configur$6 or upgrad$4 or modif$7) with (pager adj1 network))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:25
52	158	((communication adj adapter) and ((RF or (radio adj frequency) or pager or wireless)adj network)) and ((re$program$6 or re$configur$6 or upgrad$4 or modif$7))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:25
53	6182	717/$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:26
54	636	717/$.ccls. and ((down$load$3 or receiv$4 or transfer$3 or send$4 or transmi$6)near6 ((new adj (program or software or code))or up$grad$4 or re$program$4 or re$configur$6 or modif$6))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:26
55	0	717/$.ccls. and ((re$program$6 or re$configur$6 or upgrad$4 or modif$7) with (pager adj1 network))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:27
49	3	(communication adj adapter) same ((pager or wireless)adj network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:28
56	110	(717/$.ccls. and ((down$load$3 or receiv$4 or transfer$3 or send$4 or transmi$6)near6 ((new adj (program or software or code))or up$grad$4 or re$program$4 or re$configur$6 or modif$6))) and ((serial or com or communicat$4)adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 14:28
-	0	reprogram$4 near6 (pager adj2 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:18
-	6	(reprogram$4 or modif$5 or load$3 or upgrad$3) near6 (pager adj2 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:20
-	394	(reprogram$4 or modif$5 or load$3 or upgrad$3) near6 ((pager or wireless or radio) adj2 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:20
-	492	(reprogram$4 or modif$5 or load$3 or upgrad$3) near6 ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:23
-	4	((reprogram$4 or modif$5 or load$3 or upgrad$3) near6 ((pager or wireless or radio) near3 network)) same flash	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:23
-	0	(((reprogram$4 or modif$5 or load$3 or upgrad$3) near6 remot$4) with ((pager or wireless or radio) near3 network)) same flash	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:23
-	16	((reprogram$4 or modif$5 or load$3 or upgrad$3) near6 remot$4) with ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:25

-	113	((reprogram$4 or modif$5 or load$3 or upgrad$3) near6 (device or flash or memory or code or software)) with ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:43
-	2201	two$way near3 pag$3	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:41
-	51	(two$way near3 pag$3) same ((reprogram$4 or modif$5 or load$3 or upgrad$3) near6 (device or flash or memory or code or software))	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:43
-	3	(two$way near3 pag$3) with ((reprogram$4 or modif$5 or load$3 or upgrad$3) near6 (device or flash or memory or code or software))	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:46
-	320	(two$way near3 pag$3) same ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:47
-	6	((two$way near3 pag$3) same ((reprogram$4 or modif$5 or load$3 or upgrad$3) near6 (device or flash or memory or code or software))) and ((two$way near3 pag$3) same ((pager or wireless or radio) near3 network))	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:43
-	629	(two$way near3 pag$3) and ((reprogram$4 or modif$5 or load$3 or upgrad$3) near6 (device or flash or memory or code or software))	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:47
-	348	((two$way near3 pag$3) and ((reprogram$4 or modif$5 or load$3 or upgrad$3) near6 (device or flash or memory or code or software))) and ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:50
-	12	(((two$way near3 pag$3) and ((reprogram$4 or modif$5 or load$3 or upgrad$3) near6 (device or flash or memory or code or software))) and ((pager or wireless or radio) near3 network)) and (remot$4 near5 (re$program$4 or upgrad$3 or modif$6))	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:49
-	0	((remot$4 near5 (re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom)) with ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 12:51
-	0	((remot$4 near5 (re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom)) same ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:16
-	3	((remot$4 near5 (re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom)) and ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:12
-	45	(remot$4 near5 (re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:12
-	540	(remot$4 near5 (re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom or device)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:35
-	89	(remot$4 near5 (re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom or device)	EPO; JPO; DERWENT	2003/11/12 13:12
-	2	((remot$4 near5 (re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom or device)) and ((pager or wireless or radio) near3 network)	EPO; JPO; DERWENT	2003/11/12 13:13
-	5	((remot$4 near5 (re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom or device)) same ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:17

-	110	((remot$4 near5 (re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom or device)) and ((pager or wireless or radio) near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:34
-	92	(((pag$4 or wireless or (radio near2 frequency)) near4 network)) same((re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom or device)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:36
-	213	(((pag$4 or wireless or (radio near2 frequency)) near4 network)) same((re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom or device or software or firmware)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:36
-	41	((((pag$4 or wireless or (radio near2 frequency)) near4 network)) same((re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom or device or software or firmware)) and (pag$4 near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 13:37
-	32	((((pag$4 or wireless or (radio near2 frequency)) near4 network)) same((re$program$4 or upgrad$3 or modif$6))near6 (flash or rom or eeprom or prom or device or software or firmware)) same (pag$4 near3 network)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 14:13
-	1	6389321.pn.	USPAT; US-PGPUB; IBM_TDB	2003/11/12 14:13
-	19	(((re$program$4 or upgrad$4 or re$load$4)near4 (software or code))with ((communication or serial) adj2 port)) and ((pager or wireless or remot$4)near4 network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:07
-	54	((re$program$4 or upgrad$4 or re$load$4)near4 (software or code))with ((communication or serial) adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:11
-	47	((field near4 (program$6 or configur$6 or upgrad$4 or updat$4))) with ((communication or serial) adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:08
-	4194	((field near4 (program$6 or configur$6 or upgrad$4 or updat$4))) and ((pager or wireless or remot$4)near4 network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:07
-	4194	(((field near4 (program$6 or configur$6 or upgrad$4 or updat$4))) and ((pager or wireless or remot$4)near4 network)) and ((pager or wireless or remot$4)near4 network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:07
-	733	(((field near4 (program$6 or configur$6 or upgrad$4 or updat$4))) and ((pager or wireless or remot$4)near4 network)) and ((communication or serial) adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:10
-	5	(((field near4 (program$6 or configur$6 or upgrad$4 or updat$4))) with ((communication or serial) adj2 port)) and ((pager or wireless or remot$4)near4 network)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:13
-	583	(((field near4 (program$6 or configur$6 or upgrad$4 or updat$4))) and ((pager or wireless or remot$4)near4 network)) and ((serial) adj2 port)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:11
-	295	((((field near4 (program$6 or configur$6 or upgrad$4 or updat$4))) and ((pager or wireless or remot$4)near4 network)) and ((serial) adj2 port)) and (embed$6)	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:11

-	1	((((field near4 (program$6 or configur$6 or upgrad$4 or updat$4))) and ((pager or wireless or remot$4)near4 network)) and ((serial) adj2 port)) and (((re$program$4 or upgrad$4 or re$load$4)near4 (software or code))with ((communication or serial) adj2 port))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:12
-	1	(((field near4 (program$6 or configur$6 or upgrad$4 or updat$4))) and ((pager or wireless or remot$4)near4 network)) and (((re$program$4 or upgrad$4 or re$load$4)near4 (software or code))with ((communication or serial) adj2 port))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:12
-	33	((field near4 (program$6 or configur$6 or upgrad$4 or updat$4))) and (((re$program$4 or upgrad$4 or re$load$4)near4 (software or code))same((pager or wireless or remot$4)near4 network))	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:39
-	1	5937198.pn.	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:41
-	1	5822692.pn.	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:41
-	1	5544036.pn.	USPAT; US-PGPUB; IBM_TDB	2004/04/07 10:41